

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	IA/GJ/IND3/290050/2022
Compliance ID	505065778
Compliance Number(For Tracking)	EC/M/COMPLIANCE/505065778/2025
Reporting Year	2025
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	25-12-2025
RO/SRO Name	Dr G Trinadh Kumar
RO/SRO Email	agmu174.ifs@nic.in
State	GUJARAT
RO/SRO Office Address	Integrated Regional Offices, Gandhi Nagar

Note:- SMS and E-Mail has been sent to Dr G Trinadh Kumar, GUJARAT with Notification to Project Proponent.

Half Yearly Compliance Report**2025****01 Dec(01 Apr - 30 Sep)****Acknowledgement**

Proposal Name	Anaven LLP		
Name of Entity / Corporate Office	Mr. Rajeev Kumar		
Village(s)	N/A		
District	VALSAD		
Proposal No.	IA/GJ/IND3/290050/2022	Category	Industrial Projects - 3
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	GUJARAT	Entity's PAN	*****6635L
MoEF File No.	J-11011/286/2018-IA-II(I)	Entity name as per PAN	ANAVEN LLP

Compliance Reporting Details

Reporting Year	2025
Remarks (if any)	Report Period: April 2025 to September 2025
Reporting Period	01 Dec(01 Apr - 30 Sep)

Details of Production and Project Area

Name of Entity / Corporate Office Mr. Rajeev Kumar

	Project Area as per EC Granted	Actual Project Area in Possession
Private	0.66303	0.66303
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	0.66303	0.66303

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	HE- Di-chloro and Tri-chloro acetic acid	Tons per Annum (TPA)	N/A	538	0	
2	HCl acid	Tons per Annum (TPA)	N/A	49920	0	
3	Monochloro Acetic Acid	Tons per Annum (TPA)	N/A	38000	14618.41	

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	GREENBELT	The PP shall develop Greenbelt over an area of at least 647 m ² by planting 140 trees inside the plant area and another 266 trees in close vicinity of plant. The saplings selected for the plantation should be of sufficient height, preferably 6-ft (about 2m). The budget earmarked for the plantation shall be ₹ 2 Lakh and shall be kept in a separate account and should be audited annually. The PP should annually submit the audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of the expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year.
PPs Submission: Complied Complied. Details attached.		Date: 25/12/2025
2	WATER QUALITY MONITORING AND PRESERVATION	Total water requirement is 583 m ³ /day of which freshwater requirement of 290 m ³ /day will be met from Surface Water (Par River). The PP should ensure that water supply should not be above the permissible limit as mentioned in the letter and fresh water shall be withdrawal only after obtaining valid agreement from Concerned Authority. The PP should submit the details of utilization to the Integrated Regional Office (IRO), MoEF &CC before 1st July of every year for the activities carried out during the previous year.
PPs Submission: Complied Complied. Details Attached.		Date: 25/12/2025
3	Risk Mitigation and Disaster Management	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. The budget proposed under EMP is ₹ 23.79 Lakh (Capital cost) and ₹ 7.29 Crore (Recurring cost) shall be kept in separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs

		(before & after with geo-location date & time) and other document as applicable to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year.
PPs Submission: Complied Complied. Details Attached.		Date: 25/12/2025
4	Statutory compliance	No banned chemicals shall be manufactured by the PP. No banned raw materials shall be used in the unit. The PP shall adhere to the notifications/guidelines of the Government in this regard.
PPs Submission: Complied Complied. No raw material/solvent prohibited by the concerned regulatory authorities from time to time, is used. No banned chemicals are manufactured by the unit. No banned raw materials are being used in the unit. The unit is complying with all the notifications/guidelines of the Government in this regard.		Date: 25/12/2025
5	GREENBELT	The PP shall utilize modern technologies for capturing carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF & CC in this regard.
PPs Submission: Complied Noted.		Date: 25/12/2025
6	Risk Mitigation and Disaster Management	All necessary precautions shall be taken to avoid accidents and an action plan shall be implemented for avoiding accidents. The PP shall implement the onsite/offsite emergency plan/mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage, and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996.
PPs Submission: Complied Complied. We are taking utmost care and follow best engineering and safety practices to avoid accidents. Onsite emergency plan is in place and mock drills are done at regular interval.		Date: 25/12/2025
7	AIR QUALITY MONITORING AND PRESERVATION	The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 % with effective chillers/modern technology. Regular monitoring of VOCs shall be carried out.
PPs Submission: Complied Complied. Details Attached.		Date: 25/12/2025
8	WATER QUALITY MONITORING AND PRESERVATION	As committed by the PP, zero liquid discharge shall be ensured, Effluent of 303 m3/day quantity will be treated through ETP, MEE and RO
PPs Submission: Complied Complied. details Attached.		Date: 25/12/2025
9	WATER QUALITY MONITORING AND PRESERVATION	The PP shall explore possibilities for recycling and reusing of treated water in the unit to reduce the freshwater demand and waste disposal.

<p>PPs Submission: Complied Noted and Complied. Unit is ZLD and treated water is recycled and reused in cooling tower make up.</p>		<p>Date: 25/12/2025</p>
10	AIR QUALITY MONITORING AND PRESERVATION	A continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB servers. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
<p>PPs Submission: Complied Complied. Details Attached.</p>		<p>Date: 25/12/2025</p>
11	MISCELLANEOUS	The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.
<p>PPs Submission: Complied Complied. Details attached.</p>		<p>Date: 25/12/2025</p>
12	Human Health Environment	The occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
<p>PPs Submission: Complied Noted and compliance assured. As the M/s. Anaven LLP is situated in the Atul Complex, a mutual aid agreement with partner company Atul Ltd is already done who is having well qualified resident doctors, whenever required instantly apart from nearby renowned hospitals.</p>		<p>Date: 25/12/2025</p>
13	MISCELLANEOUS	Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented based on the safety and risk assessment studies.
<p>PPs Submission: Complied Complied. Training is imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training has provided to employees. Action plan for mitigation measures has been implemented according to the safety and risk assessment studies.</p>		<p>Date: 25/12/2025</p>
14	MISCELLANEOUS	The unit shall make the arrangement for the protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.
<p>PPs Submission: Complied Complied. Details attached.</p>		<p>Date: 25/12/2025</p>
15	MISCELLANEOUS	The solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent

		storage tanks shall be connected with vent condensers with chilled brine circulation.
PPs Submission: Complied Not Applicable. We are not using any solvent in our process.		Date: 25/12/2025
16	MISCELLANEOUS	The storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.
PPs Submission: Complied Complied. Details attached.		Date: 25/12/2025
17	WASTE MANAGEMENT	The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure-hoses for equipment cleaning to reduce wastewater generation.
PPs Submission: Complied Complied. details attached.		Date: 25/12/2025
18	MISCELLANEOUS	A separate Environmental Management Cell (having qualified persons with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. The PP shall engage General manager- HSE manager- Maintenance manager. In addition, one safety & health officer as per the qualification given in Factories Act, 1948 shall be engaged within a month of grant of EC. The PP should annually submit the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year.
PPs Submission: Complied Complied. Details Attached.		Date: 25/12/2025
19	GREENBELT	As committed by the PP, Industry shall not commence any activity or production for 20% expansion until & unless the committed green area density is achieved.
PPs Submission: Complied Noted and complied. Company is aware of given condition and assure not to commence any activity or production for 20 percentage expansion until and unless the committed green area density is achieved.		Date: 25/12/2025
20	MISCELLANEOUS	The project proponent shall comply with the environment norms for Organic Chemical Industry as notified by the Ministry of Environment, Forest, and Climate Change, vide GSR 608(E), dated 21.07.2010 under the provisions of the Environment (Protection)

		Rules, 1986.
PPs Submission: Complied Complied. The unit is ZLD and complying with GPCB prescribed norms.		Date: 25/12/2025
General Conditions		
Sr.No.	Condition Type	Condition Details
1	MISCELLANEOUS	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
PPs Submission: Complied Noted.		Date: 25/12/2025
2	MISCELLANEOUS	The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.
PPs Submission: Complied Noted and compliance assured.		Date: 25/12/2025
3	ENERGY PRESERVATION MEASURES	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
PPs Submission: Complied Complied.		Date: 25/12/2025
4	Noise Monitoring & Prevention	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (nighttime).
PPs Submission: Complied Complied. Details Attached.		Date: 25/12/2025
5	Corporate Environmental Responsibility	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

<p>PPs Submission: Complied Noted and complied. We have expense 6.49 lacs for installation and supply of multipurpose play equipment for children parks at Chanvai, Dumlav, and Kochwada village during report period.</p>		<p>Date: 25/12/2025</p>
6	MISCELLANEOUS	<p>The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.</p>
<p>PPs Submission: Complied Complied. Total investment till date:216.54 Cr Recurring cost of EMS monitoring during report period is: 45.54 lacs</p>		<p>Date: 25/12/2025</p>
7	MISCELLANEOUS	<p>A copy of the clearance letter shall be sent by the project proponent to be concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.</p>
<p>PPs Submission: Complied Complied. The details mentioned in stated condition have been circulated and sent to concern panchayat, Zilla parishad and Municipal Corporation while processing the proposal.</p>		<p>Date: 25/12/2025</p>
8	MISCELLANEOUS	<p>The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at the Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.</p>
<p>PPs Submission: Complied Complied. The details mentioned in stated condition have been circulated or sent to concern authority as well as advertised in local newspaper while processing the proposal.</p>		<p>Date: 25/12/2025</p>
9	MISCELLANEOUS	<p>The project proponent shall also upload/submit six monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six-monthly compliance status report shall be posted on the website of the company.</p>
<p>PPs Submission: Complied Complied. We regularly submit six monthly compliance report and also uploading on company web site.</p>		<p>Date: 25/12/2025</p>
10	Statutory compliance	<p>The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail.</p>

PPs Submission: Complied Complied. Environmental statement for FY: 2024-2025 has been submitted to GPCB on September 24, 2025. Details attached.		Date: 25/12/2025
11	MISCELLANEOUS	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
PPs Submission: Complied Noted.		Date: 25/12/2025
12	MISCELLANEOUS	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.
PPs Submission: Complied Noted.		Date: 25/12/2025
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		
<p>Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	IA/GJ/IND2/79197/2018
Compliance ID	292056978
Compliance Number(For Tracking)	EC/M/COMPLIANCE/292056978/2025
Reporting Year	2025
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	25-12-2025
RO/SRO Name	Dr G Trinadh Kumar
RO/SRO Email	agmu174.ifs@nic.in
State	GUJARAT
RO/SRO Office Address	Integrated Regional Offices, Gandhi Nagar

Note:- SMS and E-Mail has been sent to Dr G Trinadh Kumar, GUJARAT with Notification to Project Proponent.

Half Yearly Compliance Report**2025****01 Dec(01 Apr - 30 Sep)****Acknowledgement**

Proposal Name	Proposed Expansion of Monochloro Acetic Acid (MCA) plant at Village Atul, District Valsad by M/s. Anaven LLP		
Name of Entity / Corporate Office	M/s. Anaven LLP		
Village(s)	N/A		
District	VALSAD		
Proposal No.	IA/GJ/IND2/79197/2018	Category	Industrial Projects - 3
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	GUJARAT	Entity's PAN	*****6635L
MoEF File No.	IA-J-11011/286/2018-IA-II(I)	Entity name as per PAN	ANAVEN LLP

Compliance Reporting Details

Reporting Year	2025
Remarks (if any)	Report Period: April 2025 to September 2025
Reporting Period	01 Dec(01 Apr - 30 Sep)

Details of Production and Project Area

Name of Entity / Corporate Office	M/s. Anaven LLP	
	Project Area as per EC Granted	Actual Project Area in Possession
Private	0.66303	0.66303
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	0.66303	0.66303

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	HE- Di-chloro and Tri-chloro acetic acid	Tons per Annum (TPA)	N/A	448	0	
2	Monochloro Acetic Acid	Tons per Annum (TPA)	N/A	32000	14618.41	

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	AIR QUALITY MONITORING AND PRESERVATION	Volatile organic compounds (VOCs)/fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology.
PPs Submission: Complied Below steps taken to control the VOCs / fugitive emissions- 1. We have a close loop system. 2. We have connected all 06 vents with appropriate scrubbers. 3. We have installed 18 nos of chlorine gas detectors in and around plant area.		Date: 25/12/2025
2	AIR QUALITY MONITORING AND PRESERVATION	To control source and the fugitive emissions (at 99.997%), suitable and adequate pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
PPs Submission: Complied Complied. Details attached.		Date: 25/12/2025
3	AIR QUALITY MONITORING AND PRESERVATION	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
PPs Submission: Complied Complied. DG set of 500 kVA is used as stand by during power failure. Stack height provided as per CPCB norms. Acoustic enclosure is provided to DG set for controlling the noise pollution.		Date: 25/12/2025
4	AIR QUALITY MONITORING AND PRESERVATION	Continuous online (24*7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
PPs Submission: Complied Complied. Details attached.		Date: 25/12/2025
5	AIR QUALITY MONITORING AND PRESERVATION	Project proponent has to do the monitoring within the zone of influence (within 2 km, West, SW, and east direction) of the plant boundary in downwind directions. The results shall be submitted in six-monthly EC compliance report to the RO-MoEFCC.

PPs Submission: Complied Complied. Details Attached.		Date: 25/12/2025
6	Corporate Environmental Responsibility	As proposed Rs.3.31 crores shall be allocated towards Corporate Environment Responsibility (CER).As proposed, the CER allocation shall be spent mainly for addressing the issues raised during public consultation/hearing including drinking water facility/skill development/solar lights, etc., and shall be completed within 5 years. The amount proposed in CER shall be spent during execution of the project and shall not be linked with the CSR.
PPs Submission: Complied Noted and compliance assured. We have expense 6.49 lacs for installation and supply of multipurpose play equipment for children parks at Chanvai, Dumlav, and Kochwada village during report period.		Date: 25/12/2025
7	GREENBELT	As proposed green belt of at least 10-20 m width shall be developed mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the state forest department. As committed by the project proponent, the greenbelt area shall be developed and maintained in an area of 33% out of the total project area.
PPs Submission: Complied Complied. Anaven has already developed greenbelt in an area of 9.8 percentage i.e. 647 sqm out of total area of the project. An additional 24 percentage i.e. 1594 greenbelt is developed at Atul village. Details Attached.		Date: 25/12/2025
8	MISCELLANEOUS	Solvent management shall be carried out as follows:(a) reactor shall be connected to chilled brine condenser system.(b)Reactor and solvent handling pump shall have mechanical seals to prevent leakages.(c)Solvents shall be stored in a separate space specified with all safety measures.(d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flameproof. The solvent storage tanks shall be provided with breather valve to prevent losses.(f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
PPs Submission: Complied Not Applicable. We are not using any solvent in our process.		Date: 25/12/2025
9	MISCELLANEOUS	Rainwater harvesting system shall be developed in the project area and collected water shall be used in the process/utilities of the unit.
PPs Submission: Complied Complied. We have installed a rainwater harvesting system. Rainwater from the roof area (admin building- 300 m2 and flaker building- 500 m2, Total 800 m2) is collected in 3 KL capacity tank, from where it is transferred (through pump with pumping capacity 15 m3/hr) to cooling tower as make up water and thus reuse. Collected rainwater is being reused within the premises.		Date: 25/12/2025
10	PUBLIC HEARING	All the commitments made during public hearing shall be implemented in a timely manner. Preference shall be given to local villagers (70-80%) for employment in the unit.
PPs Submission: Complied Complied. The concern of people was regarding local employment and proper mitigation measures		Date: 25/12/2025

<p>to control air, water pollution and hazardous waste. Status- 1. Local employment: We give preference in employment to the local people based on educational qualification and experience. Currently we have 88 percentage local employment. 2. Mitigations measures- -Water pollution: Our unit is ZLD, hence there is no discharge of effluent. -Air pollution: There is only one DG set which is operated during power failure only. Process vents are provided with proper air pollution control equipment and automatic process control interlocks with an online continuous emission monitoring system. -Hazardous Waste: Hazardous waste is disposed off as per the prevailing rules and authorization. -Detailed action taken report on public hearing points was already submitted with last EC compliance report submission.</p>		
11	Risk Mitigation and Disaster Management	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
<p>PPs Submission: Complied Complied. Details Attached.</p>		<p>Date: 25/12/2025</p>
12	Risk Mitigation and Disaster Management	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.
<p>PPs Submission: Complied Complied. We have taken concrete steps for protection of possible fire hazards during the manufacturing process in material handling. Details Attached.</p>		<p>Date: 25/12/2025</p>
13	Statutory compliance	No raw material/solvent prohibited by the concerned regulatory authorities from time to time, shall be used.
<p>PPs Submission: Complied Complied. No raw material/solvent prohibited by the concerned regulatory authorities from time to time, is used.</p>		<p>Date: 25/12/2025</p>
14	WASTE MANAGEMENT	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
<p>PPs Submission: Complied Complied. No process organic residue / spent carbon generated. For ETP sludge and MEE salt we have also taken membership of a common facility approved by GPCB, apart from using Atul Ltd own TSDF.</p>		<p>Date: 25/12/2025</p>
15	WASTE MANAGEMENT	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm, and solvent transfer through pumps. Raw material and products should be stored in leak proof containers. Spent acid to be stored over the ground tank and to be sent to TSDF.
<p>PPs Submission: Complied Complied. Details attached.</p>		<p>Date: 25/12/2025</p>
16	WASTE MANAGEMENT	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste;(b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.(c)Use of automated filling to minimize spillage.(d) Use of close feed system into batch reactors. (e) Venting equipment through vapour recovery system.(f) Use of high pressure hoses for equipment through vapour

		recovery system.(g)Use of high pressure hoses for equipment clearing to reduce wastewater generation.
PPs Submission: Complied Complied. Details Attached.		Date: 25/12/2025
17	WATER QUALITY MONITORING AND PRESERVATION	As already committed by the project proponent, Zero liquid discharge shall be ensured and no waste/treated water shall be discharged outside the premises. All the waste water to be collected and to be reused after treatment.
PPs Submission: Complied Complied. Unit is ZLD. The effluent generation from the unit is treated in ETP followed by RO and MEE. There is no liquid discharge outside the premises.		Date: 25/12/2025
18	WATER QUALITY MONITORING AND PRESERVATION	Total fresh water requirement shall not exceed 186.1 cum/day, proposed to be met from river par. Necessary permission shall be obtained in this regard from concerned regulatory authority. The fresh water demand shall be reduced by 10% using rain water harvesting system.
PPs Submission: Complied Complied. Details Attached.		Date: 25/12/2025
19	WATER QUALITY MONITORING AND PRESERVATION	Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system. All the vent pipes should be above the roof level.
PPs Submission: Complied Complied. We have a separate drain system for storm water to nullify the possibility of mixing process effluent / any wastewater with storm water. All the vent pipes are above the roof level.		Date: 25/12/2025
General Conditions		
Sr.No.	Condition Type	Condition Details
1	Corporate Environmental Responsibility	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
PPs Submission: Complied Complied.		Date: 25/12/2025
2	ENERGY PRESERVATION MEASURES	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
PPs Submission: Complied Complied. details Attached.		Date: 25/12/2025
3	MISCELLANEOUS	This environmental clearance is granted subject to final outcome of Hon'ble supremea court of India, Hon'ble High court, Hon'ble NGT

		and any other court of law, if any, as any be applicable to this project.
PPs Submission: Complied Noted.		Date: 25/12/2025
4	MISCELLANEOUS	No further expansion or modification in the plant, other than mentioned in the EIA notification,2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate change/SEIAA, as applicable. In case of deviations or alternations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to access the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
PPs Submission: Complied Noted.		Date: 25/12/2025
5	MISCELLANEOUS	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate change as the state government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
PPs Submission: Complied Complied. Total investment till date:216.54 Cr Recurring cost of EMS monitoring during report period is: 45.54 lacs Details Attached.		Date: 25/12/2025
6	MISCELLANEOUS	A copy of the clearance letter shall be sent by the project proponent to concerned panchayat, Zilla parishad/Municipal Corporation, Urban local body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.
PPs Submission: Complied Complied. The details mentioned in stated condition have been circulated / sent to concern panchayat, Zilla parishad/Municipal Corporation while processing the proposal.		Date: 25/12/2025
7	MISCELLANEOUS	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/committee and may also be seen at Website of the Ministry and at http://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned regional office of the ministry.
PPs Submission: Complied Complied. We have published the advertisement in vernacular language newspaper on August 15, 2020, and in English on August 17, 2020. We have informed about this to your good office vide our letter dated September 03, 2020.		Date: 25/12/2025
8	MISCELLANEOUS	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective regional office of MoEF&CC, the respective Zonal office of CPCB and SPCB. A copy of

		Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
PPs Submission: Complied Complied. We regularly submit six monthly compliance report and also uploading on company web site.		Date: 25/12/2025
9	MISCELLANEOUS	The project authorities shall inform the regional office as well as the ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
PPs Submission: Complied Noted.		Date: 25/12/2025
10	Noise Monitoring & Prevention	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
PPs Submission: Complied Complied. Details Attcahed.		Date: 25/12/2025
11	Statutory compliance	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (protection) rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective regional offices of MoEF&CC by e-mail.
PPs Submission: Complied Complied. Environmental statement for FY: 2024-2025 has been submitted to GPCB on September 24, 2025.		Date: 25/12/2025
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		
<p style="text-align: center;">Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		